

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 21 1968

Returned to applicant for correction.....

Corrected application filed.....

Map filed DEC 10 1968

The applicant Robert E. and Dorothy J. Enright
4587 East Lake Mead Blvd.
of Las Vegas (89110), County of Clark,

State of Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground (Las Vegas Artesian Basin).
Name of stream, lake or other source.

2. The amount of water applied for is 0.02 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for Commercial (Trailer Court) and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks") Commercial (Trailer Court) and Domestic.

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: in the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 20, T. 20 S., R. 62 E., M.D.B.&M. from which the South $\frac{1}{4}$ Section Corner of Said Section 20 bears South $18^{\circ} - 25' - 10''$ East
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.
a distance of 2561.6 feet.

6. Place of use NE $\frac{1}{4}$ W $\frac{1}{2}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, T. 20 S., R. 62 E., M.D.B.&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Existing works to be used;

consisting of well of 235' depth fully encased with 8" casing, 5 HP.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

motor & pump, 42" diameter x 16' long horizontal steel storage tank
along with piping system to various points of use.

9. Estimated cost of works Around \$3,000 exclusive of well and piping system.
10. Estimated time required to construct works None (Already installed).
11. Remarks There is no adequate or economical supply of water available other than this source. Water requested is for 37 Trailer Spaces, domestic use in the house, a small swimming pool (with purifying apparatus for reuse) and for watering lawn, shrubs and trees.

Applicant Robert E. and Dorothy J. Enright

By s/ Dorothy J. Enright

Compared hs/jw dc/jb

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02 cubic feet per second, but not to exceed 4.0 mg annually.

Actual construction work shall begin on or before June 27, 1969

Proof of commencement of work shall be filed before July 27, 1969

Work must be prosecuted with reasonable diligence and be completed on or before June 27, 1969

Proof of completion of work shall be filed before July 27, 1969

Application of water to beneficial use shall be made on or before June 27, 1971

Proof of the application of water to beneficial use shall be filed on or before July 27, 1971

Map in support of proof of beneficial use shall be filed on or before _____

Commencement of work filed AUGUST 6, 1969 IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD,
Completion of work filed AUGUST 6, 1969 State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed _____ my office, this 27th day of March,
Cultural map filed _____
Certificate No. _____ Issued _____ A.D. 19 69
Recorded _____ Bk. _____ Page _____

County Recorder

AUG 27 1971

State Engineer